

FT-857/897 Programmer - [w8hdu.rdf]

	Receive Frequency	Transmit Frequency	Offset Frequency	Offset Direction	Operating Mode	Name	Encode Mode	Encode CTCSS	Decode Mode	Decode CTCSS
1	2.50000	2.50000	100 kHz	Simplex	AM	WWV	Off	88.5	Off	88.5
2	3.33000	3.33000	100 kHz	Simplex	AM	CHU	Off	88.5	Off	88.5
3	3.84000	3.84000	100 kHz	Simplex	LSB	NRC Net	Off	67.0	Off	67.0
4	3.90700	3.90700	100 kHz	Simplex	LSB	WX-H	Off	88.5	Off	88.5
5	3.94000	3.94000	000 kHz	Simplex	LSB	WX-H	Off	88.5	Off	88.5
6	3.97250	3.97250	100 kHz	Simplex	LSB	OSSBN	Off	88.5	Off	88.5
7	5.00000	5.00000	100 kHz	Simplex	AM	WWV	Off	107.2	Off	107.2
8	7.23800	7.23800	100 kHz	Simplex	LSB	WashNet	Off	114.8	Off	88.5
9	7.25800	7.25800	100 kHz	Simplex	LSB	MIDCARS	Off	88.5	Off	88.5
10	7.29000	7.29000	100 kHz	Simplex	LSB	TRAFFIC	Off	88.5	Off	88.5
11	7.85000	7.85000	100 kHz	Simplex	AM	CHU	Off	88.5	Off	88.5
12	10.00000	10.00000	100 kHz	Simplex	AM	WWV	Off	88.5	Off	88.5
13	14.26500	14.26500	100 kHz	Simplex	USB	WX-S	Off	88.5	Off	88.5
14	14.67000	14.67000	100 kHz	Simplex	AM	CHU	Off	88.5	Off	88.5
15	15.00000	15.00000	100 kHz	Simplex	AM	WWV	Off	88.5	Off	88.5
16	20.00000	20.00000	100 kHz	Simplex	AM	WWV	Off	88.5	Off	88.5
17	28.35000	28.35000	100 kHz	Simplex	USB	10 mtr	Off	88.5	Off	88.5
18										
19										
20	29.60000	29.60000	100 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
21	29.62000	29.52000	100 kHz	Minus	FM	Rptr-1	Off	88.5	Off	88.5
22	29.64000	29.64000	100 kHz	Simplex	FM	Rptr-2a	CTCSS	114.8	Off	88.5
23	29.64000	29.64000	100 kHz	Simplex	FM	Rptr-2b	Off	88.5	Off	88.5
24	29.66000	29.66000	100 kHz	Simplex	FM	Rptr-3	Off	88.5	Off	88.5
25	29.68000	29.68000	100 kHz	Simplex	FM	Rptr-4	Off	88.5	Off	88.5
26										
27										
28										
29										
30	50.11000	50.11000	500 kHz	Simplex	USB	DX Call	Off	88.5	Off	88.5
31	50.12500	50.12500	500 kHz	Simplex	USB	SSB Call	Off	88.5	Off	88.5
32	50.40000	50.40000	500 kHz	Simplex	AM	AM Call	Off	88.5	Off	88.5
33	51.68000	51.18000	500 kHz	Minus	FM	N8IHP	CTCSS	156.7	Off	88.5
34	51.80000	51.30000	500 kHz	Minus	FM	KB8GJG	Off	88.5	Off	88.5
35	52.52000	52.52000	500 kHz	Simplex	FM	NS-1	Off	88.5	Off	88.5
36	52.52500	52.52500	500 kHz	Simplex	FM	NS-2	Off	88.5	Off	88.5
37	53.03000	52.03000	1.00 MHz	Minus	FM	WF8M	CTCSS	107.2	CTCSS	107.2
38	53.35000	52.35000	1.00 MHz	Minus	FM	W8LBZ	CTCSS	107.2	CTCSS	107.2
39	53.41000	52.41000	1.00 MHz	Minus	FM	KB8MDF	Off	100.0	CTCSS	107.2
40	53.55000	52.55000	1.00 MHz	Minus	FM	WB8FNB	CTCSS	107.2	CTCSS	107.2
41	53.61000	53.61000	500 kHz	Simplex	FM	open	Off	88.5	Off	88.5
42	53.63000	52.63000	1.00 MHz	Minus	FM	KT8APR	CTCSS	107.2	CTCSS	107.2
43	53.65000	53.65000	1.00 MHz	Simplex	FM	KB8VYV	CTCSS	107.2	CTCSS	107.2
44	53.73000	52.73000	1.00 MHz	Minus	FM	N8NPT	Off	100.0	CTCSS	107.2
45										
46										
47										
48										
49										
50	144.05000	144.05000	600 kHz	Simplex	CW	Ntl CW	Off	88.5	Off	88.5
51	144.20000	144.20000	600 kHz	Simplex	USB	Ntl Call	Off	88.5	Off	88.5
52	145.11000	144.51000	600 kHz	Minus	FM	WC8OH	CTCSS	67.0	Off	88.5
53	145.13000	144.53000	600 kHz	Minus	FM	KA8CHH	CTCSS	67.0	Off	88.5
54	145.15000	144.55000	600 kHz	Minus	FM	KD8BTI	Off	67.0	Off	88.5
55	145.17000	144.57000	600 kHz	Minus	FM	N8GCH	Off	88.5	Off	88.5

FT-857/897 Programmer - [w8hdu.rdf]

	Receive Frequency	Transmit Frequency	Offset Frequency	Offset Direction	Operating Mode	Name	Encode Mode	Encode CTCSS	Decode Mode	Decode CTCSS
56	145.19000	144.59000	600 kHz	Minus	FM	W8PRH	Off	67.0	Off	88.5
57	145.21000	144.61000	600 kHz	Minus	FM		Off	67.0	Off	88.5
58	145.23000	144.63000	600 kHz	Minus	FM	W8FW	CTCSS	100.0	Off	88.5
59	145.25000	144.65000	600 kHz	Minus	FM	W8MCA	CTCSS	107.2	Off	88.5
60	145.27000	144.67000	600 kHz	Minus	FM	W8DZ	Off	107.2	Off	88.5
61	145.29000	144.69000	600 kHz	Minus	FM	KA8IWB	Off	123.0	Off	88.5
62	145.31000	144.71000	600 kHz	Minus	FM	W8OG	Off	123.0	Off	88.5
63	145.33000	144.73000	600 kHz	Minus	FM	W8DYY	Off	123.0	Off	88.5
64	145.35000	144.75000	600 kHz	Minus	FM	KC8WFC	CTCSS	127.3	Off	88.5
65	145.37000	144.77000	600 kHz	Minus	FM	KT8APR	CTCSS	107.2	CTCSS	107.2
66	145.39000	144.79000	600 kHz	Minus	FM	KC8KVO	CTCSS	107.2	Off	88.5
67	145.41000	144.81000	600 kHz	Minus	FM	WD8IEJ	CTCSS	107.2	Off	88.5
68	145.43000	144.83000	600 kHz	Minus	FM	N8PVC	CTCSS	123.0	Off	88.5
69	145.45000	144.85000	600 kHz	Minus	FM	K8IRA	CTCSS	123.0	Off	88.5
70	145.47000	144.87000	600 kHz	Minus	FM		Off	123.0	Off	88.5
71	145.49000	144.89000	600 kHz	Minus	FM	K8NIO	CTCSS	179.9	Off	88.5
72										
73										
74										
75	146.46000	146.46000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
76	146.47000	146.47000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
77	146.48000	146.48000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
78	146.49000	146.49000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
79	146.52000	146.52000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
80	146.52500	146.52500	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
81	146.55000	146.55000	600 kHz	Simplex	FM	Simplex	Off	88.5	Off	107.2
82	146.55000	146.55000	600 kHz	Simplex	FM	PRIVATE	CTCSS	107.2	CTCSS	107.2
83										
84										
85	146.61000	146.01000	600 kHz	Minus	FM	K8QYL	CTCSS	107.2	Off	88.5
86	146.62500	146.02500	600 kHz	Minus	FM	W8VMV	Off	107.2	Off	107.2
87	146.64000	146.04000	600 kHz	Minus	FM	K8MCA	Off	88.5	Off	88.5
88	146.65500	146.15500	500 kHz	Minus	FM	W8LBZ	CTCSS	110.9	Off	88.5
89	146.67000	146.07000	600 kHz	Minus	FM	WB8ULC	CTCSS	118.8	Off	88.5
90	146.68500	146.08500	600 kHz	Minus	FM	N8OOB	Off	88.5	Off	88.5
91	146.70000	146.10000	600 kHz	Minus	FM	W8FY	CTCSS	107.2	Off	88.5
92	146.71500	146.11500	600 kHz	Minus	FM	W8MCB	Off	88.5	Off	88.5
93	146.73000	146.13000	600 kHz	Minus	FM	W8OG	CTCSS	77.0	Off	88.5
94	146.74500	146.14500	600 kHz	Minus	FM	W8AOH	CTCSS	100.0	CTCSS	100.0
95	146.76000	146.16000	600 kHz	Minus	FM	W8RXX	CTCSS	123.0	Off	88.5
96	146.77500	146.17500	600 kHz	Minus	FM	K6CDR	Off	88.5	Off	88.5
97	146.79000	146.19000	600 kHz	Minus	FM	KD8BTI	CTCSS	67.0	Off	88.5
98	146.80500	146.20500	600 kHz	Minus	FM	W8WDM	CTCSS	156.7	Off	88.5
99	146.82000	146.22000	600 kHz	Minus	FM	WA8PLZ	CTCSS	77.0	Off	88.5
100	146.83500	146.23500	600 kHz	Minus	FM	WB8IVY	CTCSS	67.0	Off	88.5
101	146.85000	146.25000	600 kHz	Minus	FM	W8FT	Off	88.5	Off	88.5
102	146.86500	146.26500	600 kHz	Minus	FM	WB8EJH	Off	88.5	Off	88.5
103	146.88000	146.28000	600 kHz	Minus	FM	IN-IWO	CTCSS	67.0	Off	88.5
104	146.89500	146.29500	600 kHz	Minus	FM	WW8MRN	CTCSS	71.9	Off	88.5
105	146.91000	146.31000	600 kHz	Minus	FM	KC8EPF	Off	88.5	Off	88.5
106	146.92500	146.32500	600 kHz	Minus	FM	K8SCH	Off	88.5	Off	88.5
107	146.94000	146.34000	600 kHz	Minus	FM	W8EQ	Off	88.5	Off	88.5
108	146.95500	146.35500	600 kHz	Minus	FM	K8VOR	CTCSS	100.0	Off	88.5
109	146.97000	146.37000	600 kHz	Minus	FM	W8RRJ	CTCSS	123.0	Off	107.2
110	146.98500	146.38500	600 kHz	Minus	FM	WF8M	CTCSS	123.0	Off	107.2

FT-857/897 Programmer - [w8hdu.rdf]

	Receive Frequency	Transmit Frequency	Offset Frequency	Offset Direction	Operating Mode	Name	Encode Mode	Encode CTCSS	Decode Mode	Decode CTCSS
111	147.00000	147.60000	600 kHz	Plus	FM	W8EBG	CTCSS	100.0	Off	88.5
112	147.01500	147.61500	600 kHz	Plus	FM	W8MCI	CTCSS	77.0	Off	88.5
113	147.03000	147.63000	600 kHz	Plus	FM	K8TCF	CTCSS	118.8	Off	88.5
114	147.04500	147.64500	600 kHz	Plus	FM	KA8HHW	CTCSS	100.0	Off	107.2
115	147.06000	147.66000	600 kHz	Plus	FM	W8DDG	CTCSS	94.8	Off	88.5
116	147.07500	147.67500	600 kHz	Plus	FM	K8VHX	CTCSS	100.0	Off	88.5
117	147.09000	147.69000	600 kHz	Plus	FM	K8VON	Off	88.5	Off	88.5
118	147.10500	147.70500	600 kHz	Plus	FM	KB8III	CTCSS	123.0	Off	107.2
119	147.12000	147.72000	600 kHz	Plus	FM	K8YEK	Off	88.5	Off	88.5
120	147.13500	147.73500	600 kHz	Plus	FM	WB8SMC	Off	88.5	Off	88.5
121	147.15000	147.75000	600 kHz	Plus	FM	W8FT	CTCSS	88.5	Off	88.5
122	147.16500	147.76500	600 kHz	Plus	FM	W8DZN	CTCSS	88.5	Off	88.5
123	147.18000	147.78000	600 kHz	Plus	FM	K8TIH	CTCSS	67.0	Off	88.5
124	147.19500	147.79500	600 kHz	Plus	FM	K8BXQ	Off	67.0	Off	88.5
125	147.21000	147.81000	600 kHz	Plus	FM	W8SWS	Off	67.0	Off	88.5
126	147.22500	147.82500	600 kHz	Plus	FM	K8TII	Off	67.0	Off	88.5
127	147.24000	147.84000	600 kHz	Plus	FM	WB8ASZ	Off	67.0	Off	88.5
128	147.25500	147.85500	600 kHz	Plus	FM	KC8RCI	CTCSS	107.2	Off	88.5
129	147.27000	147.87000	600 kHz	Plus	FM	W8HHF	CTCSS	103.5	Off	88.5
130	147.28500	147.88500	600 kHz	Plus	FM	K8LI	CTCSS	103.5	Off	88.5
131	147.30000	147.90000	600 kHz	Plus	FM	VV8MRN	CTCSS	71.9	Off	88.5
132	147.31500	147.91500	600 kHz	Plus	FM	K8TII	Off	71.9	Off	88.5
133	147.33000	147.93000	600 kHz	Plus	FM	K8QYL	CTCSS	107.2	Off	88.5
134	147.34500	147.94500	600 kHz	Plus	FM	W8AK	CTCSS	107.2	Off	88.5
135	147.34500	147.94500	600 kHz	Plus	FM	WJ8E	CTCSS	103.5	Off	88.5
136	147.36000	147.96000	600 kHz	Plus	FM	WA8PLZ	CTCSS	77.0	Off	88.5
137	147.37500	147.97500	600 kHz	Plus	FM	W8RZM	CTCSS	103.5	Off	88.5
138	147.39000	147.99000	600 kHz	Plus	FM	N8YRF	Off	103.5	Off	88.5
139										
140										
141										
142										
143										
144										
145	432.10000	432.10000	5.00 MHz	Simplex	USB	SSB Sim	Off	88.5	Off	88.5
146	442.02500	447.02500	5.00 MHz	Plus	FM	N8IHP	CTCSS	156.7	Off	107.2
147	442.20000	447.20000	5.00 MHz	Plus	FM	N8MTZ	Off	186.2	Off	107.2
148	442.22500	447.22500	5.00 MHz	Plus	FM	W8ARG	CTCSS	107.2	Off	107.2
149	442.70000	447.70000	5.00 MHz	Plus	FM	N8PCO	Off	186.2	Off	107.2
150	442.75000	447.75000	5.00 MHz	Plus	FM	KB8TAK	Off	67.0	Off	107.2
151	442.57500	447.57500	5.00 MHz	Plus	FM	NO8C	CTCSS	107.2	Off	88.5
152	442.87500	447.87500	5.00 MHz	Plus	FM	N8RTN	CTCSS	100.0	Off	107.2
153	443.02500	448.02500	5.00 MHz	Plus	FM	KA8GRP	CTCSS	67.0	Off	107.2
154	443.07500	448.07500	5.00 MHz	Plus	FM	KC8KVO	CTCSS	107.2	Off	107.2
155	443.20000	448.20000	5.00 MHz	Plus	FM	AA8OF	Off	100.0	Off	107.2
156	443.25000	443.35000	100 kHz	Plus	FM	N8IID	CTCSS	186.2	Off	107.2
157	443.40000	448.40000	5.00 MHz	Plus	FM	KB8MDF	CTCSS	67.0	Off	107.2
158	443.53750	448.53750	5.00 MHz	Plus	FM	N8RVS	CTCSS	100.0	Off	107.2
159	443.75000	448.75000	5.00 MHz	Plus	FM	KI8CY	CTCSS	103.5	Off	107.2
160	443.77500	448.77500	5.00 MHz	Plus	FM	KC8GWH	CTCSS	103.5	Off	107.2
161	443.82500	448.82500	5.00 MHz	Plus	FM	N8QBT	CTCSS	186.2	Off	107.2
162	443.88750	448.88750	5.00 MHz	Plus	FM	N8PS	Off	186.2	Off	107.2
163	444.00000	449.00000	5.00 MHz	Plus	FM	W8AK	CTCSS	107.2	Off	107.2
164	444.15000	449.15000	5.00 MHz	Plus	FM	W8FT	CTCSS	88.5	Off	107.2
165	444.20000	449.20000	5.00 MHz	Plus	FM	K8QYL	CTCSS	107.2	Off	107.2

FT-857/897 Programmer - [w8hdu.rdf]

	Receive Frequency	Transmit Frequency	Offset Frequency	Offset Direction	Operating Mode	Name	Encode Mode	Encode CTCSS	Decode Mode	Decode CTCSS
166	444.45000	449.45000	5.00 MHz	Plus	FM	K8LI	CTCSS	103.5	Off	107.2
167	444.47500	449.47500	5.00 MHz	Plus	FM	K8TIH	CTCSS	67.0	Off	107.2
168	444.65000	449.65000	5.00 MHz	Plus	FM	KB8YVY	Off	67.0	Off	107.2
169	444.72500	449.72500	5.00 MHz	Plus	FM	W8AK	CTCSS	123.0	Off	107.2
170	444.88750	449.88750	5.00 MHz	Plus	FM	N6JSX	CTCSS	107.2	Off	107.2
171	444.92500	449.92500	5.00 MHz	Plus	FM	W8EQ	Off	107.2	Off	107.2
172	446.00000	446.00000	5.00 MHz	Simplex	FM	Simplex	Off	88.5	Off	88.5
173										
174										
175										
176										
177										
178										
179										
180										
181										
182										
183										
184										
185										
186										
187										
188										
189										
190										
191										
192										
193										
194										
195										
196										
197										
198										
199										
200										
601	5.33200	5.33200	100 kHz	Simplex	USB		Off	88.5	Off	88.5
602	5.34800	5.34800	100 kHz	Simplex	USB		Off	88.5	Off	88.5
603	5.36800	5.36800	100 kHz	Simplex	USB		Off	88.5	Off	88.5
604	5.37300	5.37300	100 kHz	Simplex	USB		Off	88.5	Off	88.5
605	5.40500	5.40500	100 kHz	Simplex	USB		Off	88.5	Off	88.5